

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 07/24/2014 Version: 1.0

SECTION 1: Identification of the s	ubstance/mixture and of the com	nanv/undertakin	a
1.1. Product identifier		party/undertakin	9
Product form	: Mixture		
Product name	: GemSeal Black Diamond Sealer		
Product code	: Not available		
	ubstance or mixture and uses advised aga	linst	
Use of the substance/mixture	: Sealant		
1.3. Details of the supplier of the safe	ety data sheet		
Bonsal American, Inc. 8201 Arrowridge Blvd. Charlotte, NC 28273 - USA T 800-334-0784 Tech Service: Monday - Fric	lay; 8:00am - 5:00pm EST		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC (800) 424-9300		
SECTION 2: Hazards identification	1		
2.1. Classification of the substance o	r mixture		
GHS-US classification			
Skin irritation 2			
2.2. Label elements			
GHS-US labelling			
Hazard pictograms (GHS-US)	GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: Causes skin irritation.		
Precautionary statements (GHS-US)	: Wash hands thoroughly after handling water. Take off contaminated clothing medical advice/attention.		
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS-US	-		
2 % of the mixture consists of ingredient(s) of	unknown acute toxicity.		
SECTION 3: Composition/informa	tion on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Residues, petroleum, steam-cracked	(CAS No) 64742-90-1	15 - 40	Flam. Liq 4
1			Skin Irrit. 2

		, v	
Residues, petroleum, steam-cracked	(CAS No) 64742-90-1	15 - 40	Flam. Liq 4 Skin Irrit. 2
Quartz	(CAS No) 14808-60-7	5 - 10	Acute Tox. 4 (Oral)
Mica	(CAS No) 12001-26-2	3 - 7	Not classified
Aluminum silicate	(CAS No) 1327-36-2	1 - 5	Skin Irrit. 2 Eye Irrit. 2A
Feldspar	(CAS No) 68476-25-5	1 - 5	Eye Irrit. 2A STOT SE 3
Titanium dioxide	(CAS No) 13463-67-7	0.1 - 1	Not classified



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Name	Product identifier	%	GHS-US classification
Benzo(a)pyrene	(CAS No) 50-32-8	< 0.1	Skin Sens. 1 Muta. 1B Carc. 1A Repr. 1B
Naphthalene	(CAS No) 91-20-3	< 0.1	Acute Tox. 4 (Oral) Carc. 2

* The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation :	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact :	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact :	In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion :	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/injuries after inhalation :	May cause respiratory irritation.
Symptoms/injuries after skin contact :	Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact :	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion :	May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SEC	FION 5: Firefighting measu	
5.1.	Extinguishing media	
	le extinguishing media	: Treat for surrounding material.
	able extinguishing media	: None known.
	0 0	
5.2.	Special hazards arising from	
Fire ha	azard	: May include, and are not limited to: oxides of carbon.
5.3.	Advice for firefighters	
Protec	tion during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SEC	FION 6: Accidental release	measures
6.1.	Personal precautions, protect	tive equipment and emergency procedures
Gener	al measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.2.	Methods and material for con	tainment and cleaning up
For co	ntainment	 Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Metho	ds for cleaning up	: Scoop up material and place in a disposal container.
6.3.	Reference to other sections	
See se	ection 8 for further information on pr	otective clothing and equipment and section 13 for advice on waste disposal.
SEC	FION 7: Handling and stora	ade
7.1.	Precautions for safe handling	
	utions for safe handling	 Avoid contact with skin and eyes. Avoid breathing vapour or mist. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
7.2.	Conditions for safe storage, i	ncluding any incompatibilities
Storag	e conditions	: Keep out of the reach of children. Keep container tightly closed.
07/24/2	014	EN (English) 2/6

07/24/2014



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

7.3. Specific end use(s)

Not available.

Residues, petroleum	n, steam-cracked (64742-90-1)	
USA ACGIH	ACGIH TWA (mg/m ³)	Not applicable.
USA OSHA	OSHA PEL (TWA) (mg/m ³)	Not applicable.
Quartz (14808-60-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m³)	((10 mg/m3)/(%SiO2+2) TWA (resp)); ((30 mg/m3)/(%SiO2+2) TWA (total)); ((250)/(%SiO2+5) mppcf TWA (resp))
Mica (12001-26-2)		
USA ACGIH	ACGIH TWA (mg/m³)	3 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	20 mppcf (respirable dust)
Aluminum silicate (1	327-36-2)	
USA ACGIH	ACGIH TWA (mg/m ³)	Not applicable.
USA OSHA	OSHA PEL (TWA) (mg/m ³)	Not applicable.
Feldspar (68476-25-5	5)	
USA ACGIH	ACGIH TWA (mg/m ³)	Not applicable.
USA OSHA	OSHA PEL (TWA) (mg/m ³)	Not applicable.
Titanium dioxide (13	463-67-7)	
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³
Benzo(a)pyrene (50-	32-8)	
USA ACGIH	ACGIH TWA (mg/m³)	Not applicable.
USA OSHA	OSHA PEL (TWA) (mg/m ³)	0.2 mg/m ³
Naphthalene (91-20-3	3)	
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH STEL (ppm)	15 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	50 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm

	recommended exposure limits.	
Hand protection	: Wear suitable gloves.	
Eye protection	: Safety glasses or goggles are recommended when using product.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.	
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.	
Other information	Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.	

SECTION 9: Physical and chemical properties			
9.1. Information on basic physic	9.1. Information on basic physical and chemical properties		
Physical state	: Liquid.		
Appearance	: No data available.		
Colour	: No data available.		
07/24/2014	EN (English)	3/6	



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.			
Odour	: No data available.		
Odour threshold	: No data available.		
рН	: No data available.		
Relative evaporation rate (butylacetate=1)	: No data available.		
Melting point	: No data available.		
Freezing point	: No data available.		
Boiling point	: No data available.		
Flash point	: No data available.		
Self ignition temperature	: No data available.		
Decomposition temperature	: No data available.		
Flammability (solid, gas)	: Not flammable.		
Vapour pressure	: No data available.		
Relative vapour density at 20 °C	: No data available.		
Relative density	: No data available.		
Solubility	: No data available.		
Log Pow	: No data available.		
Log Kow	: No data available.		
Viscosity, kinematic	: No data available.		
Viscosity, dynamic	: No data available.		
Explosive properties	: No data available.		
Oxidising properties	: No data available.		
Explosive limits	: No data available.		
9.2. Other information			
VOC content	: No data available.		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No dangerous reaction known under conditions o	f normal use.		
10.2. Chemical stability			
Stable under normal storage conditions.			
10.3. Possibility of hazardous reactions			
No dangerous reaction known under conditions o	f normal use.		
10.4. Conditions to avoid			
Heat. Incompatible materials.			
10.5. Incompatible materials None known.			
10.6. Hazardous decomposition products			
May include, and are not limited to: oxides of cart			
SECTION 11: Toxicological informati	on		
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
GemSeal Black Diamond Sealer			
LD50 oral rat	> 2000 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
LC50 inhalation rat	Not available		
Residues, petroleum, steam-cracked (64742-	Residues, petroleum, steam-cracked (64742-90-1)		
LD50 oral rat	4320 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
Quartz (14808-60-7)			
LD50 oral rat	500 mg/kg		
07/24/2014	EN (English) 4/6		

EN (English)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Titanium dioxide (13463-67-7)			
LD50 oral rat > 10000 mg/kg LD50 dermal rabbit > 10000 mg/kg			
Naphthalene (91-20-3)			
LD50 oral rat	490 mg/kg		
LD50 dermal rabbit	>20 g/kg		
LC50 inhalation rat	> 340 mg/m³/1h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.		
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.		
Carcinogenicity	: Based on available data, the classification criteria are not met.		
Quartz (14808-60-7)			
IARC group	1 - Carcinogenic to humans (airborne particles of respirable size)		
National Toxicity Program (NTP) Status	2 - Known Human Carcinogens		
Titanium dioxide (13463-67-7)			
IARC group	2B - Possibly carcinogenic to humans (airborne, unbound particles of respirable size)		
Naphthalene (91-20-3) IARC group	2B - Possibly carcinogenic to humans		
National Toxicity Program (NTP) Status	 2B - Possibly carcinogenic to numans 1 - Evidence of Carcinogenicity, 3 - Reasonably anticipated to be Human Carcinogen 		
Benzo(a)pyrene (50-32-8)			
IARC group	1 - Carcinogenic to humans		
National Toxicity Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen		
Reproductive toxicity	: Based on available data, the classification criteria are not met.		
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.		
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.		
Aspiration hazard	: Based on available data, the classification criteria are not met.		
Symptoms/injuries after inhalation	: May cause respiratory irritation.		
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin		
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.		
Symptoms/injuries after ingestion	: May cause stomach distress, nausea or vomiting.		
SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	: No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.		
12.2. Persistence and degradability			
GemSeal Black Diamond Sealer			
Persistence and degradability	No additional information available.		
12.3. Bioaccumulative potential			
GemSeal Black Diamond Sealer			
Bioaccumulative potential	No additional information available.		
12.4. Mobility in soil			
GemSeal Black Diamond Sealer			
Ecology - soil	No additional information available.		
••			
12.5. Other adverse effects Other adverse effects	: No additional information available.		
Effect on ozone layer	: No additional information available		
07/04/0014			

EN (English)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal considerations	S
13.1. Waste treatment methods	
No additional information available	
SECTION 14: Transport information	
In accordance with DOT	
14.1. UN number	
Not applicable	
14.2. UN proper shipping name	
Not applicable	
14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	
15.1. US Federal regulations	
	uded from listing, on the United States Environmental Protection Agency Toxic Substances
Control Act (TSCA) inventory except for: Mica	CAS No 12001-26-2
Mica	CAS NO 12001-20-2
Naphthalene (91-20-3)	
Listed on SARA Section 313 (Specific toxic chen	nical listings)
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	0.1 %
Benzo(a)pyrene (50-32-8)	
Listed on SARA Section 313 (Specific toxic chen	nical listings)
SARA Section 313 - Emission Reporting	0.1 %
15.2. US State regulations	
GemSeal Black Diamond Sealer	
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.
SECTION 16: Other information	
Indication of changes	: None.
Date of issue	: 07/24/2014
Data sources	: SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

